



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Larry A. Coldren, et al.	Examiner:	Not Yet Assigned
Serial No.	09/935,352	Group Art Unit:	Not Yet Assigned
Filed:	August 21, 2001	Docket No.	510015-269
Title:	A Method for Aperturing Vertical-Cavity Surface-Emitting Lasers		

CERTIFICATE UNDER 37 CFR 1.8

I hereby certify that this correspondence and identified enclosures are being deposited with the United States Postal Service, first class mail, postage prepaid, under 37 C.F.R. 1.8 on the date indicated, and is addressed to the Commissioner for Patents, BOX: Missing Parts, Washington, D C. 20231 on December 3, 2001.

Valerie Mata
Valerie Mata

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

BOX: Missing Parts
Commissioner for Patents
Washington, D.C. 20231

Sir/Madam:

In response to the Notice to File Corrected Application Papers, mailed October 3, 2001, Applicant hereby submits five (5) sheets of formal drawings for the above-entitled patent application. Applicant would like to point out that the drawings include Figures 1-10.

Please charge any deficiencies and credit any overpayment involving these papers to our Deposit Account No. 16-2230.

Respectfully submitted,

Date: December 3, 2001.

Marc P. Bobys
Marc P. Bobys
Reg. No. 45,267

OPPENHEIMER WOLFF & DONNELLY LLP
2029 Century Park East, 38th Floor
Los Angeles, CA 90067-3024
Phone: (310) 788-5000
FAX: (310) 788-5100

**COPY OF PAPERS
ORIGINALLY FILED**



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/935,352	08/21/2001	Larry A. Coldren	510015-269

CONFIRMATION NO. 9440

FORMALITIES LETTER



OC000000006842301

OPPENHEIMER WOLFF & DONNELLY LLP
Suite 3800
2029 Century Park East
Los Angeles, CA 90067

Date Mailed: 10/03/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

A. J.
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

COPY OF PAPERS
ORIGINALLY FILED